

ENGINEERED

Peak White Oak (WW660 Platinum)



7066 Woodlands

ENGINEERED

Peak White Oak (WW660 Platinum)

	US Units	Metric Units
Style Number	WW660	
Construction	Engineered	
Species	White Oak	
Nominal Overall Thickness	1/2"	11.3 mm
Nominal Width	7"	177.8 mm
Finish	Repel - Water Resist	
Gloss Level	7%	
Surface Texture	Wirebrushed	
Edge Description	Micro Bevel	
End Description	Micro Bevel	
Profile	Tongue And Groove	
Weight per Carton	54 lbs	24.49 kg
SQFT per Carton	23.58 sq ft	2.19 sq m
SQFT per Pallet	848.88 sq ft	78.86 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Splash-Proof Lifetime	
Commercial Warranty	5 Year Commercial	
Regional Availability	Not Available in Canada	
All measurements are nominal.	Cartons may include random lengths.	

Features

Light, natural tones and visible knots and splits create an unrefined look that illustrates the beauty of wood's imperfection. Peak White Oak is part of the REPEL Collection with Splash-Proof Technology that guards against splashes and spills 2x better than untreated hardwood. It also features superior dent resistance and ScufResist® Platinum finish to guard against scuffs.

Suggested Adhesive

Style Name	Style Number
35MC	HS105

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)

ENGINEERED

Peak Hickory (WW660 Platinum)




ENGINEERED

Peak White Oak (WW660 Platinum)


Colors




1027 Timber




1079 Natural



7066 Woodlands



5048 Wilderness



ENGINEERED

Perk Hickory (WW661 Platinum)



9023 Majestic

ENGINEERED

Perk Hickory (WW661 Platinum)

	US Units	Metric Units
Style Number	WW661	
Construction	Engineered	
Species	Hickory	
Nominal Overall Thickness	1/2"	11.3 mm
Nominal Width	7"	177.8 mm
Finish	Repel - Water Resist	
Gloss Level	7%	
Surface Texture	Wirebrushed	
Edge Description	Micro Bevel	
End Description	Micro Bevel	
Profile	Tongue And Groove	
Weight per Carton	54 lbs	24.49 kg
SQFT per Carton	23.58 sq ft	2.19 sq m
SQFT per Pallet	848.88 sq ft	78.86 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Splash-Proof Lifetime	
Commercial Warranty	5 Year Commercial	
Regional Availability	Not Available in Canada	
All measurements are nominal.	Cartons may include random lengths.	

Features

Light, natural tones and visible knots and splits create an unrefined look that illustrates the beauty of wood's imperfection. Perk Hickory is part of the REPEL Collection with Splash-Proof Technology that guards against splashes and spills 2x better than untreated hardwood. It also features superior dent resistance and ScufResist® Platinum finish to guard against scuffs.

Suggested Adhesive

Style Name	Style Number
35MC	HS105

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)

ENGINEERED


Perk Hickory (WW661 Platinum)




ENGINEERED

Perk Hickory (WW661 Platinum)


Colors



1033 Luminous



7036 Radiance



9023 Majestic